





- A Bi-LED headlamps with integrated daytime running lights*: Illuminate further and wider for maximum visibility.
- **B** Integrated Rear bumper: The two-step bumper offers protection and a step to access payload cargo, with a new, one-piece design and more dynamic appearance.
- C Tail lamps: Newly designed rear combination lamps with double LED lights provide improved visibility and safety.















- **D** Water Wading Depth: Drive through water as deep as 800 mm.
- **E** 4x4 angles: Improved approach, departure and ramp-over angles for even greater off-road capability.
- **F** Rear cargo: Spacious and practical, with wide, flat loading area.
- **G Chassis:** Bigger and stronger, with greater torsional and longitudinal rigidity for improved handling, stability and durability.

THE POWER TO PERFORM

As one of the most reliable automotive company since 1916, ISUZU has remained the world leader in diesel engineering having built over 27 million engines internationally. Combining responsive low-end torque with the power to get things done, the all-new D-MAX inspires confidence on every journey.

Both rugged and refined, its legendarily reliable engine is built to work. It delivers uncompromising performance while meeting the latest emissions standards - even as it improves on efficiency and economy. With the boosted turbocharger response, precise fuel injection control and low engine noise, the all-new D-MAX is more accomplished than ever.





- A ISUZU 4JJ3-TCX Diesel Engine Performance: Max.Power 140kW (190PS) / Max.Torque 450 N.m
- **B ISUZU RZ4E Diesel Engine Performance:** Max.Power 110kW (150PS) / Max.Torque 350 N.m
- C Engine: Robust and refined reinforcing ISUZU's reputation for diesel durability.
- D Electric Control VGS Turbocharger: Reduced lag,
- **E Combustion chamber:** Optimized combustion chamber minimizes emissions while boosting fuel
















Outstanding reliability is part of ISUZU's DNA of truck. The all-new D-MAX continues a tradition of toughness that began with the ISUZU's first ever pickup in 1963. Higher, wider and stronger than ever, the new model underwent the equivalent of over four million kilometers of testing during research and development, both on-road and off-road. It emerged as the toughest pickup in ISUZU's history.

The new D-MAX's lightweight body belies improvements in occupant protection, noise and vibration, as well as in overall stability. It is engineered for easy maintenance, with rock-solid rust protection and multiple maintenance-free

- A Double scissors idler gear*: Reduced gear noise and vibration.
- B Timing Chain: With auto tensioner minimizes wear
- C Melt-in liner: The D-MAX's advanced anti-friction induction hardening process greatly strengthening the cylinders.





Comfortable, easy to use and flexible, the D-MAX is more than just a pickup. It is your mobile office, your place to relax, and your passport to adventure.

ISUZU's universal design concept means that every feature is tailored to you. There is a well - appointed, spacious cabin, easy entry and exit, and impressive new interior design. A redesigned seat - electrically adjustable in eight different ways - lets you find the perfect driving position, along with tilt and telescopic adjustment of the steering wheel. Every seat has softer cushioning and firmer lateral support, while abundant storage options fall easily to hand, whether you are in front or back. Dual-zone climate controlled air conditioning, reduced cabin noise and minimal vibration make every journey a pleasure.

Whether you are with the family or on the job, the all-new D-MAX is one step ahead. This is the next evolution of ISUZU.

- A Steering wheel: Sporty and ergonomic, with tilt and telescopic adjustment for the perfect driving position.
- B Rear console with air-conditioning vent: Comfort of dedicated air-conditioning vents to back-seat passengers.
- C Storage: Every door has space for a 1.5L bottle.
- **D Dual-zone climate control*:** The driver and front-seat passenger can set individual temperatures to suit their personal preference.
- **E** Leather-appointed seat*: Ergonomically designed, with anti-vibration elastic comfort foam and an eight-way adjustable driver's position.
- **F Large 4.2" TFT Multi-Information Display:** Shows various vehicle functions according to the driver's preference.
- G 10.1" Infotainment with Apple CarPlay™ and Android Auto™: Replicates the functions of your smartphone while driving, including voice recognition.
- H Multiple USB ports: Easy access to both front and rear occupants for mobile charging.









*for LS-E variant only









*for LS-E Variant only

YOU'RE IN SAFE HANDS

There is nothing more important than the well-being of you and your family. That is why the all-new D-MAX is built for maximum peace of mind. It includes a range of safety features that operate automatically and independently, working to resolve dangerous situations - usually before the driver is even aware they are in trouble. Additional Smart 3D DUO Camera that has superior ability to detect obstacles, made it possible for D-MAX to have advance safety features.

The advance Smart 3D Camera that is unique to D-MAX in this class. It constantly maps the surrounding area to measure distance of every obstacle on the road. Since it uses a dual camera setup, it can detect 3D objects just like how human eyes recognizes the depth of field. It can even detect pedestrians under complicated situations which works correctly under real world conditions. Pedestrian Protection minimizes harm to those outside the car in the event of a collision.

The body of the new D-MAX is strengthened to better protect you and your family from external impact from any angle. Larger brakes front and rear increase stopping power - the better to prevent accidents in the first place - while the seats are designed to absorb impact during an emergency. The doors of the pickup unlock automatically in any cases that the airbags are deployed.

The D-MAX is not only good at keeping you safe, but also those that are around you. Now you can safely drive with extra confidence in difficult circumstances, whether on-road or off-road, daytime or night-time. Because confidence is more than just conquering the toughest terrain. It is about knowing you are in the safest of hands - on every journey.





- A Adaptive Cruise Control: Automatically controls D-MAX speed using vehicle-to-vehicle distance control within the pre-set speed range
- **B Autonomous Emergency Braking:** If the system determines a collision is unavoidable, it applies emergency braking
- C Lane Departure Warning: System warns the driver when the vehicle is about to drift off the road
- **D Turn Assist:** When turning and crossing the path of ongoing vehicle, and system determines a collision is unavoidable, the system applies emergency braking
- **E Automatic High Beam:** At night, intelligent camera detects incoming vehicles and tail lights of preceding vehicles to automatically adjust the headlights
- F Parking Aid: System uses ultrasonic sensors to detect objects around the vehicle
- G Blind Spot Monitoring: When the system detects vehicle in the detection area, the indicators come on.


for LS-E variant only











Both our Light Commercial Vehicle and Truck line-up are engineered towards durability, reliability and fuel economy. With an extensive model line -up to choose from, we are confident that there is an Isuzu model to suit your business needs

As an Isuzu owner, we make sure to maintain a long-term partnership with you. You can be assured of our fast and quality after sales service in any of our authorized service facility nationwide. Parts availability and roadside assistance are also not problem, due to our efficient warehousing and logistics system, coupled with our Mobile Medic servicing team which can get to you even on those far flung areas.

For fleet owners, we conduct a special drivers and mechanics training on different topics such as Eco-Driving, Safety Driving, and Proper Truck Operation & Inspection. Our expert Japanese truck engineers are also within call to assist you on your special body requirements and specifications.

- A Reinforced cabin: Fabricated with High Tensile Steel for outstanding strength and rigidity to create a passenger safety cell.
- **B Bigger brakes:** Significantly reduced brake noise, significantly improved service life and brake feel.







		LS-E 4X4 AT	LS 4X4 MT	LS-A 4X2 AT	4X2 MT	LS 4X2 AT	4X2 MT	4X4 MT		SINGLE CAB	
ENGINE			733833331		11.00						
Model			and the last	-TCX		RZ4E		4JJ3 - TCX		E-TC	
Туре	E				ower Diesel engi	ne with turbo inter		_	_		
Max. power	PS rpm	-	190	3,600		150	3,600	190 3,600	150	3,600	
Max. torque	N-m rpm			00-2,600		350 1,80		450 1,600 - 2,600 2,999			
Displacement	cc	2,999					1,898		1,898		
Fuel tank Fuel system	Liters	76 Electronic controlled fuel injection									
Turbocharger		+				Electronic VGS turb					
ENGINE		3				icetionie rootere					
	Model	AWR6B45-II	MVL-6S	AWR6845-II	MVL-65	AWR6B45-II	MVL-6Y	MVL-6S	My	/L-6Y	
Transmission	Туре	6-SPEED AT with sequential shift	6-SPEED MT with reverse lock-out	6-SPEED AT with sequential shift	6-SPEED MT with reverse lock-out	6-SPEED AT with sequential shift		6-SPEED MT with	reverse lock-out		
4WD controls	Transfer control switch	Equi	pped			28		Equipped		¥	
	Alluminum rear drive shaft		pped	i i		24		Equipped		•	
	E - Differential lock	· · · ·	Equipped	ń		瓮		A ANIAN	300		
ENGINE			100								
Steering type	/s			Tilt & Te					Fixed		
Brakes	Front					disc brake with re					
P1041000	Rear					uto-adjust drum br			T		
Suspension	Front					upper control arm	and stabilizer		Fixed Double widebone co an semi-elliptical in f, 195R15 5,285 x 1,810 x 1,695 Material color cloor energy absoluted and fixed and fixed and formula adjust and f Material black 2-step all gray color		
	Rear	365 (60 B10 A)	Lon	g span semi-ellipti	cal soft ride leaf:	spring		Long spa	in semi-elliptical i	leafspring	
Wheel and Tire	4	265/60 R18 All- Terrain, matte dark gray	265/60 R18 All- Terrain, Silver	265/60 R18 All- Terrain, matte dark gray	2	55/65 R17 HT, Silv	er	255/65 R17 HT, Steel	195R1	SC - Steel	
Spare wheel		Guing, ay		Concessoy	7	Full tire size - Steel	ė.	<u> </u>	!		
DIMENSIONS	×.		<i>a</i> .		0				2		
Overall L x W x H	mm	5,277 x 1,880 x 1,810	5,265 x 1,870 x 1,810	5,277 x 1,880 x 1,810		5,265 x 1,8	70×1,785			5,020 x 1,810	
Wheelbase	mm					3,125					
Ground clearance	mm		240			235			195		
Gross vehicle	kg	2,	500	PA.	2,	,500		2,800	2,	700	
weight EXTERIOR	5	1000		0.	,,,,,					55410	
Headlamps	Туре	Bi-LED F	rojector			Mu	Iti-reflector halo	gen			
ricadionips	Leveling	Automatic	Tojector		Manual	, tvio	act - enector tialo	T	190		
	Daytime running light	The state of the s				pe at foglamp			227.		
	Follow me home headlamp					ipped					
	Headlamp battery saver					ipped				1 7	
	Auto-on/off	Equipped		477	7/33/50		ē.			*	
Foglamps	Que so reflere	L L	ED		Ha	logen	400		330		
Antenna						ont center roof mo		=			
Radiator grille		Gun metallic	Chrome	Gun metallic		Medium gray metall	le	7000 0000 0000			
Front bumper		900 1 1 1 1 1	ALOUA PROPERTY.	Body color energ			Total control of dis-	Material o	color energy abso	rb bumper	
Side view mirro	ors	-	fold with integrat		Power adjust o	& manual fold with turn lamp	integrated side	M	anual adjust and I	fold	
Door handles	47	Dark gray metallic	Chrome	Dark gray metallic	·	Body color			Material black	160	
Rear bumper	Туре				tegrated type, b	ody color				- 69:	
_	Color				color	r	1000000		gray color	323	
Rear	Туре		Double LED v	vith light guide	720	1	Multi-F	Reflector		Horizontal type	
combination lamp	Emergency stop signal	72.0		T/:	Equ	ipped					
SCHOOL STATE	Rear fog lamp	Equi	pped		7008						
Bedliner Cargo extender	d	Equipped	52	Equipped	pped			į.			
Roof Rail		Equipped	100kg capacity	Edorpheo				9			
Over fender		Equipped	acong copacity	Equipped				*			
Front bumper g	puard	Equipped		Equipped				6			
INTERIOR	Proposition of the second			r conceptor.							
Instrument me	ters		Electrolumi	nescent with 4.2-i	nch multi-inforn	nation display		3,5-in	ch monochrome	display	
Infotalnment sy	ystem	10.1-inch full touchscreen display with Apple car play and Android auto, Bluetooth connectivit in and USB									
Navigation syst	em				pped				7.0		
Clinometer	Series -				pped						
Speakers		8-Speaker system		-11.00	6-Speaker syster	m :				2-speaker system	
	Material		ther	0	Urethane	+Decoration					
Steering wheel	LH Switch	1	M:	Audio + Phone	+Voice control						
estandon MAS	RH Switch	MID+A.D.A.S.			MID				540		
Seats	1st Row	Security Services	Bucket	seat with anti vibr	ation elastic com	nfort foam		Bucke	150 3,600 3,600 350 1,800 2,4 1,809 2,4	Bucket & Benck seat	
	2nd row	3			60:40 Sp	olit folding					
	Whiplash protection headrest					Equipped					
	Material	Brown Leather			Black Fabric				Cloth		
		The second second second second second									

		LS-E	LS	LS-A		LS			LT	SINGLE CA			
		4X4 AT	4X4 MT	4X2 AT	4X2 MT	4X2 AT	4X2 MT	4X4 MT	4X2	МТ			
SAFETY & CONVI	ENIENCE												
S.R.S airbags	45	7-position					sition						
	Brake override system	Equipped											
	Anti-lock brake system	Equipped								*			
Active Safety	Electronic brakeforce				Fou	ipped				φ ₁			
	distribution				- Legar	пррец				81			
Feature Salety	Brake assist				Equi	ipped				- 50			
reature	Electronic stability control			Equ	uipped			1	51				
y'	Traction control system			Equ	ripped				50				
7	Hill start assist		Equipped						25				
	Hill descent control			Equ	uipped				¥)				
21 202	1st Row	3-Point Emergency locking retractor with pre-tensioner											
Seatbelts	2nd row	3-Point Emergency locking retractor fixed											
	Front skid plate					Equipped	70.44						
Under body	Rear skid plate					Equipped							
protection	Transfer case protector	Equip								4			
MODERATE V	Transmission cover	7.0.0	Equipped										
High mount stop					Fou	ipped				20			
Rear view mirror		Auto-dimming			Day/Night	ррес		Ť	Conventional				
Rear defogger		Auto-ommining		For					Conventional				
Near werogge.	Control	Auto-climate	Equipped -										
Air	Dual Zone	Auto-climate 3-dial switch											
conditioning	Pollen filter	Equipped Equipped											
system	NAME OF TAXABLE PARTY.												
Mount	Rear ventilation	Equipped											
/	Remote car lock system	Frequency operated button Remote keyless entry							Conventional				
2500000	Anti-relay attack function	Equipped -											
Vehicle access	Remote start engine	Equipped											
7	Immobilizer	Equipped -											
	Walk away door lock	Equip	oped										
12V accessory so	ocket			Equ	uipped				20				
USB port	4					Equipped		1					
Wipers	Туре	Rain sensing	Variable intermittent Intermittent						Standar				
/	Motor	Reversing	Conventional										
	Washer nozzle	Wet wiper				Conve	entional						
	er Assist System (ADAS)												
Pre-crash safety	Forward collision warning	Equipped					32						
	Autonomous emergency brake	Equipped				F	ş						
7	Turn Assist	Equipped					3						
	Mis-application mitigation	Equipped					2						
Speed Assist	Adaptive cruise control	Equipped	Equipped -										
September 2 and 1000	Manual speed limiter	Equipped											
Headlamp control	Automatic high beam	Equipped		19									
Lane support	Lane departure warning	Equipped											
Rear and side	Blind spot monitoring	1	Equi	ipped				*5					
assist	Rear cross traffic alert		- Addition	ipped									
Parking aid	Parking aid front	4-eye											
	Parking aid rear	4-eye with rear view camera											
Post-crash													
safety	Multi-collision brake system	Equipped					*						
)										
		LS-E	LS	LS-A		LS		1	LT	SINGLEC			
Engine: 4JJ3-T	TCX / RZ4E	AYAAT	AYA MT	AY2 AT	AY2 MT	AY2 AT	AY2 MT	AYA MT	AV2	MT			

	LS-E	LS	LS-A	LS			LT		SINGLE CAB
Engine: 4JJ3-TCX / RZ4E	4X4 AT	4X4 MT	4X2 AT	4X2 MT	4X2 AT	4X2 MT	4X4 MT	4X	MT
VALENCIA ORANGE		1			2				
ONYX BLACK]
MERCURY SILVER									
RED SPINEL	9								
SAPPHIRE BLUE		17		1					
GALENA GRAY									
SPLASH WHITE									

DEALERSHIP

Printed on February 2021

Isuzu Philippines Corporation reserves the right to change features and specifications without prior notice. Details, description, and illustrations are for information purposes only and may vary from actual units.









